

TL Series



Features

- Anti-glare UGR<12
- 3-wires track with three electrical circuits that can be switched separately
- Flexible direction adjustment. 360°rotatable(Left & right), 90°rotatable(Up & down)
- Perfect optical design for accent lighting
- Easy to install, no need tools

Applications

- Galleries
- Museums
- Hotels
- Shops
- Showrooms



REV 1.0
06/04/2018

Sheenly LED Track Light

Sheenly TL Series LED Track Light is featured with integrated design, compact size and powerful light output, perfect glare control optics (UGR<12). Make the product a perfect versatile lighting tool that can be used for retail shops, showrooms, public buildings and museums. Moreover, the highly efficient reflector with 24 degrees beam angle in combination with COB LED technology makes the product stand out from its counterparts and an ideal choice for both accent and general lighting applications.

Specifications

Dimension (mm)

12W	Ø55*130
18W	Ø80*145
28W	Ø90*120

Color Temperature

Std.Incandescent White	2700K-3000K
Warm White	3000K-3300K
Natural White	4000K-4300K
Pure White	5700K-6000K

Power & Lumen Output

12W	1140 lm @ 4000K
18W	1710 lm @ 4000K
28W	2660 lm @ 4000K

Color Rendering Index

>90

Rated Life (L70)

50,000 Hours

Housing

ADC12+PC

Beam Spread

24°

Operating Temperature

-20°C to +40°C (Amb.)

Input Voltage

220-240V/AC

Power Factor

>0.95

Net Weight

0.25 Kg – 0.75Kg

IP

IP20


IK

IK05

Installation

3-wires track

Dimension (mm)




TL SERIES	Dimension A [mm]	Dimension B [mm]
12W	55	130
18W	80	145
28W	90	120

Ordering Information

Sheenly	Class	Watt	CCT	Model	Finishing	Options
SL=Sheenly Lighting	DOW=Down Light	12W 18W 28W	SW=2700K WW=3000K NW=4000K PW=5700K	TL	White	/

Part Number	Power	CCT	Lumen Output	Beam	Dimension
SL-DOW-12W-XW-TL	6W	2700K/3000K/4000K/5700K	1140 lm	24°	Ø55*130
SL-DOW-18W-XW-TL	15W	2700K/3000K/4000K/5700K	1710 lm	24°	Ø80*145
SL-DOW-28W-XW-TL	22W	2700K/3000K/4000K/5700K	2660 lm	24°	Ø90*120

Application



Packing Information

Part Number	Pcs./Inner box	Master Carton Size[mm]	Pcs./Master Carton	Pcs./20' Container	Pcs./40' Container
SL-DOW-12W-XW-TL	1	L395*W320*H160	8	8448	16896
SL-DOW-18W-XW-TL	1	L480*W405*H215	8	3456	6912
SL-DOW-28W-XW-TL	1	L480*W405*H215	8	3456	6912

Shanghai Sheenly Lighting Co., Ltd.

Bldg22, No. 1688 Lianhang Road, Shanghai 201112, China

Tel: (+86)-21-6411 3138 Fax: (+86)-21-6411 3862

*All specifications subject to change without notice.

©2009-2018 Sheenly Lighting all rights reserved.